Dr. Schumacher

# Dosiertabelle / Dosage table

| fertige Gebrauchslösung ready-to-use solution | 0,25 % | 0,5 % | 1,0 % | 1,5 % | 2,0 % | 3,0 % | 4,0 % |
|---|---|---|---|---|---|---|---|
| 1 L | 2,5 ml | 5 ml | 10 ml | 15 ml | 20 ml | 30 ml | 40 ml |
| 2 L | 5 ml | 10 ml | 20 ml | 30 ml | 40 ml | 60 ml | 80 ml |
| 3 L | 7,5 ml | 15 ml | 30 ml | 45 ml | 60 ml | 90 ml | 120 ml |
| 4 L | 10 ml | 20 ml | 40 ml | 60 ml | 80 ml | 120 ml | 160 ml |
| 5 L | 12,5 ml | 25 ml | 50 ml | 75 ml | 100 ml | 150 ml | 200 ml |
| 8 L | 20 ml | 40 ml | 80 ml | 120 ml | 160 ml | 240 ml | 320 ml |
| 10 L | 25 ml | 50 ml | 100 ml | 150 ml | 200 ml | 300 ml | 400 ml |
| 16 L | 40 ml | 80 ml | 160 ml | 240 ml | 320 ml | 480 ml | 640 ml |
| 20 L | 50 ml | 100 ml | 200 ml | 300 ml | 400 ml | 600 ml | 800 ml |
| 30 L | 75 ml | 150 ml | 300 ml | 450 ml | 600 ml | 900 ml | 1200 ml |

**Herstellung gebrauchsfertiger Desinfektionslösungen:**

Die Anwendungslösung ist aus Konzentrat und Leitungswasser herzustellen. Um 5 Liter Anwendungslösung mit einer 2 %igen Konzentration herzustellen, müssen 100 ml des Konzentrats in 4,9 Liter Leitungswasser hinzugefügt werden. Die Richtlinien und Einwirkzeiten des Herstellers sind zu beachten.

**Preparation of a ready-to-use solution of disinfectants:**

The ready-to-use solution consists of concentrate and tap water. In order to prepare 5 liter ready-to-use solution with a concentration of 2 % you have to add 100 ml of concentrate into 4,9 liters of tap water. The guidelines and exposure times of the manufacturer should be followed.

PSP-000611 Stand 04/17

***Dr. Schumacher GmbH*** · Am Roggenfeld 3 · 34323 Malsfeld · Germany · T +49 5664 9496-0 · F +49 5664 8444 · info@schumacher-online.com · **www.schumacher-online.com**